

TECHNICAL INFORMATION

Mowipaste FP Yellow 09 (Fine Paste / Eco-Friendly)

- Brilliant Yellow Shade
- Fine stable dispersion - No reduction in color yield or brilliance
- Hydrophillic
- Formaldehyde Free
- Highly concentrated
- Readily pourable pigment paste
- Containing nonionic wetting agents & dispersing agents.
- They mix readily into aqueous media to form stable dispersions and miscible with one another in any ratio.
- Excellent dispersion stability - Prevents re-agglomeration on storage.
- Homogenous dispersion - Equally dispersed throughout the binder system.
- No drying - No wastages
- No viscosity pick up - Easy shade matching
 - MowiPaste are suitable for coloration of synthetic polymer emulsion paints, aqueous Inks, Wood stains

1. Properties

Appearance	Brilliant Yellow , low viscous, liquid dispersion
Chemical character	Based on Pigment Yellow 74
Ionic character	Nonionic
Viscosity	3000-4000 mPas (Brookfield at 20 °C)
pH	6-8
Dilutability	Dilutable in any proportions with cold water
Storage stability	6-12 months when stored in original container under appropriate conditions between 2 °C and 40 °C
Eco-toxicological data	Refer Safety Data Sheet

F = 5% in a full shade emulsion paint (TiO₂ - 20%)

R = 2% in a reduced shade emulsion paint (TiO₂ - 20%)

Light = Light fastness based on DIN 54003

Weathering = Fastness to weather based on DIN 54001

Density = Density in g/cm³ based on DIN 53 193

Mowipaste FP Yellow 09	F	R
Shade		
Light fastness	6-7	5-6
Weathering fastness	6-7	5-6
Density(+/-5%)	1.2	1.2



Our Commitment to the Environment

Sustainability and environmental considerations are becoming increasingly important for consumers and producers.

For ARCHROMA these considerations have been incorporated in daily practice offering intelligent chemistry.

Meeting today's ecological challenges ARCHROMA offers sustainable products, solutions and processes and participates actively in voluntary programs such as the Global Charter Responsible Care® and Global Product Strategy (GPS) initiatives, which are focused on the continuous improvement of our performance in the critical areas of health, safety and environment. At the core of these initiatives is the development of enhanced safety and environmentally friendly products, such as all our waterbased solvent-free Mowilith® emulsions.

APEO (Alkyl Phenol Ethoxylates) and specially Nonyl Phenol ethoxylates are considered to be very toxic for aquatic life. In many countries these emulsifiers / surfactants are no longer allowed.

ARCHROMA offers APEO-free dispersions for customers that need this requirement.

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Archroma makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Archroma's products for its particular application. * Nothing included in this information waives any of Archroma's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change.

Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Archroma products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Archroma. *For sales to customers located within the United States and Canada the following applies in addition: NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

* Trademark of Archroma registered in many countries

© 2014 Archroma









